

Coronavirus disease (COVID-19)

Data as received by WHO from national authorities, as of 10 am CEST 20 September 2020

For the latest data and information on COVID-19, please see:


- WHO COVID-19 Dashboard
- Rolling updates on COVID-19
- WHO COVID-19 Weekly Operational Update

Global epidemiological situation

To date, over 30.6 million COVID-19 cases and 950 000 deaths have been reported to WHO.

From 14 through 20 September, there were almost 2 million new cases of COVID-19, which represents a 6% increase compared to the previous week, and the highest number of reported cases in a single week since the beginning of the epidemic. During the same period, there was a 10% decrease in the number of deaths, with 36 764 deaths reported in the past seven days (Figure 1).

Figure 1: Number of COVID-19 cases reported weekly by WHO Region, and global deaths, 30 December 2019 through 20 September 2020**



^{**}See data table and figure notes.

With the exception of the African Region, an increase in the weekly case incidence was reported across all WHO regions in the last seven days (Table 1, Figure 2). Overall, the Region of the Americas continues to carry the highest burden of COVID-19 globally, accounting for over 38% of all new cases reported in the past seven days, although the region has reported a 22% decrease in new deaths. The WHO European Region showed the greatest rise in deaths in the past week, with a 27% increase compared to the previous week.

The WHO South-East Asia Region has continued to report an increase in new COVID-19 deaths, with over 9000 deaths in the past week, accounting for 25% of all reported deaths and surpassing 100 000 total COVID-19 deaths since the beginning of the pandemic. In addition, the region accounts for 35% of new cases reported in the past week. The Eastern Mediterranean and Western Pacific regions have both reported a slight increase in reported cases and deaths over the last three weeks. The African Region continues to show a marked decline with decreases of 12% and 16% in reported cases and deaths respectively in the past week.

Additional region-specific information can be found below: <u>African Region</u>, <u>Region of the Americas</u>, <u>Eastern Mediterranean Region</u>, <u>European Region</u>, <u>South-East Asia Region</u>, and <u>Western-Pacific Region</u>.


Table 1. Newly reported and cumulative COVID-19 confirmed cases and deaths, by WHO Region, as of 20 September 2020**

WHO Region	New cases in last 7 days (%)	Change in new cases in last 7 days*	Cumulative cases (%)	New deaths in last 7 days (%)	Change in new deaths in last 7 days*	Cumulative deaths (%)
Americas	767 410 (38%)	10%	15 466 584 (50%)	19 132 (52%)	-22%	527 837 (55%)
South-East Asia	696 400 (35%)	1%	6 073 462 (20%)	9 309 (25%)	4%	101 700 (11%)
Europe	360 601 (18%)	11%	5 195 853 (17%)	4 072 (11%)	27%	229 802 (24%)
Eastern Mediterranean	114 057 (6%)	8%	2 215 733 (7%)	2 629 (7%)	14%	57 641 (6%)
Western Pacific	31 353 (2%)	4%	577 905 (2%)	781 (2%)	15%	12 667 (1%)
Africa	29 076 (1%)	-12%	1 145 397 (4%)	841 (2%)	-16%	24 757 (3%)
† Other	-	-	741 (<1%)	-	-	13 (<1%)
Global	1 998 897 (100%)	6%	30 675 675 (100%)	36 764 (100%)	-10%	954 417 (100%)

^{*}Percent change in the number of newly confirmed cases/deaths in past seven days, compared to seven days prior. Regional percentages rounded to the nearest whole number, global totals may not equal 100%.

^{**}See data, table and figure notes

Figure 2. COVID-19 cases per million population reported in the last seven days by countries, territories and areas, 14 through 20 September 2020**



^{**}See data, table and figure notes.


Situation by WHO Region

African Region

For the last six weeks, the African Region has continued to report a decrease in both COVID-19 cases and deaths. During the past week, 33 of the 49 affected countries reported either a decrease in deaths or no deaths. The region has reported almost 25 000 cumulative deaths to date, of which South Africa accounts for 15 900 (64%). South Africa continues to report the highest number of new cases and new deaths, followed by Ethiopia, Algeria and Mozambique.

Notably, 35 of 49 affected countries/territories/areas in the Region continue to report ongoing community transmission.

Figure 3: Number of COVID-19 cases and deaths reported weekly by the WHO African Region, as of 20 September 2020**



^{**}See data, table and figure notes

Region of the Americas


The Region of the Americas remains the most affected WHO Region, accounting for 50% of all reported cases and 55% of deaths. Even though the Region has reported an increase of 10% in the number of new cases in the past week, it also accounts for the largest decrease in deaths compared to the previous seven days (-22%) (Figure 4). Thirty-two out of the 48 affected countries and territories in the Region report community transmission, while only eight report sporadic transmission.

The countries reporting the highest numbers of new cases in the past week include the United States of America, Brazil, Argentina and Colombia. The number of daily cases reported in Ecuador has remained relatively high, with an average of more than 500 cases reported daily in September.

The marked decrease in the number of deaths in the Region has been driven mainly by a decrease in Colombia, Mexico, Ecuador and Bolivia in the past seven days, while the United States of America and Brazil continue to report the highest number of deaths, each reporting over 5000 new deaths in the past week.

While Argentina was one of the countries in the Americas with the lowest incidence of cases and deaths during the first few months of the pandemic, over the last few months the weekly incidence of cases has been rising rapidly, and test positivity rates have exceeded 40% in recent weeks.

Figure 4: Number of COVID-19 cases and deaths reported weekly by the WHO Region of the Americas, as of 20 September 2020**




^{**}See data, table and figure notes

Eastern Mediterranean Region

The number of cases and deaths reported in the Eastern Mediterranean Region have consistently increased over the last three weeks (Figure 5), and have increased by 8% and 14% respectively in the last seven days. The highest numbers of new cases were reported by Iraq, Iran and Morocco. Jordan, Oman and Tunisia reported the greatest relative increase in cases compared to the previous week. While Iran reported the highest number of new deaths, Tunisia and Afghanistan reported the greatest increase in deaths compared to the previous week.

Figure 5: Number of COVID-19 cases and deaths reported weekly by the WHO Eastern Mediterranean Region, as of 20 September 2020**




^{**}See data, table and figure notes

European Region

The number of cases and deaths reported in the European Region increased by 11% and 27% respectively in the past seven days (Figure 6), with France, the Russian Federation, Spain and the United Kingdom reporting the highest numbers of new cases in the past week. Iceland and Cyprus have reported the greatest percentage increase in new cases in the past week.

The Region has been experiencing a slight increase in the number of reported deaths over the past four weeks, reaching over 4000 new deaths in the past seven days. Hungary and Denmark reported the highest relative increase in deaths in the past week, while the United Kingdom continues to report the highest number of cumulative deaths, with almost 42 000.

Figure 6: Number of COVID-19 cases and deaths reported weekly by the WHO European Region, as of 20 September 2020**




^{**}See data, table and figure notes

South-East Asia Region

The South-East Asia Region is the second most affected Region and currently accounts for 35% and 25% of cases and deaths, respectively, newly reported globally in the past seven days. Although the number of cases and deaths has been increasing steadily since March, the increases have slowed, with increases in new cases and deaths of only 1% and 4% respectively in the past week. The countries reporting the highest number of new cases continue to be India, Indonesia and Bangladesh, while Myanmar and Nepal showed the highest increase in new cases in the past seven days.

The countries reporting the highest number of new deaths per million population include India and Maldives, with 6 and 4 deaths per million population respectively, while Myanmar continues to show the highest increase in deaths in the past week.

Figure 7: Number of COVID-19 cases and deaths reported weekly by the WHO South-East Asia Region, as of 20 September 2020**




^{**}See data, table and figure notes

Western Pacific Region

Overall, the Western Pacific Region continues to show the lowest cumulative cases, accounting for less than 2% of global cases and less than 1.5% of all deaths. The Philippines and Japan accounted for the greatest number of new cases and new deaths in the Region. Relative increases in the number of deaths were reported in Malaysia, New Zealand and Papua New Guinea.

Figure 8: Number of COVID-19 cases and deaths reported weekly by the WHO Western Pacific Region, data as of 20 September 2020**



^{**}See data, table and figure notes

Key weekly updates

- As the world comes together at an unprecedented mostly virtual <u>75th UN General Assembly</u> from 15-31 September, <u>WHO has three messages to share</u>:
 - 1. **Equitable access to COVID-19 tools.** WHO calls on world leaders to support the <u>Access to COVID-19 Tools (ACT)-Accelerator</u>, a unique international collaboration to fast-track the development, production and equitable access to COVID-19 tests, treatments, and vaccines globally, while strengthening health systems.
 - Maintain the momentum towards achieving the Sustainable Development Goals. The
 pandemic risks unravelling decades of gains made in health and development. According to a
 recent WHO survey, 90% of countries are experiencing disruptions to essential health
 services.
 - 3. We must prepare for the next pandemic together, now. A year ago the independent Global Preparedness Monitoring Board warned of the threat of a pandemic, calling for global leaders to take urgent, united action to prepare. Last week, the Board issued its 2020 report, 'A World in Disorder', which outlined five urgent actions to be taken: responsible leadership; engaged citizenship; strong and agile systems for health security; sustained investment; and robust global governance of preparedness.
- WHO Director-General Dr Tedros, in his regular <u>media briefing</u> on Friday, highlighted that this is a
 critical moment for countries. As cases and deaths have started to spike again, he called upon
 leaders to put targeted measures in place which can help suppress the spread of the virus and
 ensure that health systems and workers are protected. Individuals must also practise physical
 distancing, clean their hands frequently, wear a mask as advised, cough and sneeze safely away from
 others, avoid crowds, and keep windows and doors open when they can't meet friends and family
 outside.
- WHO has published new guidance on <u>school-related public health measures</u> that examines considerations for school operations, and the measures needed to minimize the risk to students and staff of COVID-19.
- On 17 September, we celebrated <u>World Patient Safety Day</u> to raise global awareness of the
 importance of health worker safety and its interlinkages with patient safety. The COVID-19 pandemic
 has exerted unprecedented pressure on health systems worldwide. Health systems can only function
 with health workers, and a knowledgeable, skilled and motivated health workforce is critical for the
 provision of safe care to patients.
- WHO has released a slide set on 'What we know about the long-term effects of COVID-19'. Typically people recover from COVID-19 after two to six weeks; however, for some people, including young adults and persons with no underlying medical conditions who were not hospitalized, symptoms may linger or recur for weeks or months following initial recovery. Some patients develop medical complications that may have lasting health effects. Much is still unknown, and more time and research are needed to understand the long-term effects of COVID-19.

Table 2. Number of COVID-19 confirmed cases and deaths reported in the last seven days by countries, territories and areas, as of 20 September 2020**

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Africa	29076	1145397	173	841	24757	4	
South Africa	11 442	659 656	11 122	513	15 940	269	Community transmission
Ethiopia	4 243	68 131	593	93	1 089	9	Community transmission
Algeria	1 616	49 623	1 132	60	1 665	38	Community transmission
Mozambique	1 497	6 537	209	6	41	1	Community transmission
Uganda	1 314	6 017	132	11	63	1	Clusters of cases
Nigeria	968	57 145	277	17	1 095	5	Community transmission
Kenya	866	36 829	685	27	646	12	Community transmission
Namibia	688	10 292	4 051	13	111	44	Community transmission
Angola	566	3 901	119	15	147	4	Clusters of cases
Zambia	558	14 024	763	17	329	18	Community transmission
Senegal	495	14 688	877	9	302	18	Community transmission
Cabo Verde	475	5 186	9 328	6	50	90	Clusters of cases
Ghana	443	45 877	1 476	11	297	10	Community transmission
Botswana	315	2 567	1 092	3	13	6	Clusters of cases
Burkina Faso	298	1 797	86	0	56	3	Community transmission
Madagascar	283	16 020	579	9	219	8	Community transmission
Guinea	266	10 286	783	0	63	5	Community transmission
Cameroon	264	20 431	770	1	416	16	Community transmission
Côte d'Ivoire	213	19 200	728	0	120	5	Community transmission
Eswatini	195	5 245	4 521	6	104	90	Community transmission

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Zimbabwe	164	7 672	516	1	225	15	Community transmission
Lesotho	145	1 390	649	0	33	15	Clusters of cases
Gambia	128	3 504	1 450	6	108	45	Community transmission
Rwanda	106	4 671	361	3	25	2	Clusters of cases
Democratic Republic of The Congo	103	10 487	117	6	268	3	Community transmission
Mauritania	91	7 365	1 584	0	161	35	Community transmission
Mali	90	3 006	148	0	128	6	Community transmission
Togo	85	1 640	198	4	41	5	Community transmission
Chad	66	1 149	70	1	81	5	Community transmission
South Sudan	64	2 642	236	0	49	4	Community transmission
Sierra Leone	63	2 159	271	0	72	9	Community transmission
Gabon	53	8 696	3 907	0	53	24	Community transmission
Congo	52	4 986	904	1	89	16	Community transmission
Malawi	49	5 718	299	2	179	9	Community transmission
Central African Republic	44	4 793	992	0	62	13	Community transmission
Benin	38	2 280	188	0	40	3	Community transmission
Guinea-Bissau	28	2 303	1 170	0	39	20	Community transmission
Liberia	24	1 335	264	0	82	16	Community transmission
Comoros	14	470	540	0	7	8	Community transmission
Equatorial Guinea	6	5 002	3 565	0	83	59	Community transmission
Mauritius	6	367	289	0	10	8	Sporadic cases

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Niger	4	1 182	49	0	69	3	Clusters of cases
Seychelles	4	139	1 413	0	0	<1	Sporadic cases
Eritrea	3	364	103	0	0	<1	Sporadic cases
Sao Tome and Principe	2	908	4 143	0	15	68	Clusters of cases
Burundi	1	473	40	0	1	<1	Clusters of cases
United Republic of Tanzania	0	509	9	0	21	<1	Community transmission
Territories ⁱⁱ							
Réunion	471	3 194	3 567	0	10	11	Clusters of cases
Mayotte	167	3 541	12 979	0	40	147	Clusters of cases
Americas	767410	15466584	2295	19132	527837	78	
United States of America	275 171	6 662 003	20 127	5 633	197 442	596	Community transmission
Brazil	213 019	4 495 183	21 148	5 397	135 793	639	Community transmission
Argentina	77 953	613 658	13 578	1 499	12 705	281	Community transmission
Colombia	48 383	750 471	14 749	1 332	23 850	469	Community transmission
Peru	39 742	756 412	22 941	813	31 283	949	Community transmission
Mexico	30 655	688 954	5 344	2 620	72 803	565	Community transmission
Chile	12 008	444 674	23 262	359	12 254	641	Community transmission
Ecuador	10 888	125 620	7 120	253	11 089	629	Community transmission
Costa Rica	8 405	62 374	12 244	103	686	135	Community transmission
Venezuela (Bolivarian Republic of)	6 511	65 174	2 292	62	530	19	Community transmission
Canada	6 285	141 911	3 760	42	9 205	244	Community transmission
Paraguay	5 615	32 127	4 504	115	611	86	Community transmission

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Dominican Republic	5 468	107 700	9 928	103	2 044	188	Community transmission
Bolivia (Plurinational State of)	4 879	130 051	11 141	300	7 550	647	Community transmission
Honduras	4 562	70 611	7 129	88	2 146	217	Community transmission
Panama	4 549	104 879	24 307	89	2 229	517	Community transmission
Guatemala	3 494	85 152	4 753	156	3 105	173	Community transmission
Jamaica	1 247	4 758	1 607	20	60	20	Community transmission
Trinidad and Tobago	847	3 739	2 672	10	60	43	Community transmission
El Salvador	577	27 428	4 229	26	808	125	Community transmission
Cuba	402	5 055	446	5	113	10	Clusters of cases
Guyana	339	2 102	2 672	10	62	79	Clusters of cases
Bahamas	303	3 177	8 079	2	69	175	Clusters of cases
Suriname	162	4 691	7 996	3	96	164	Community transmission
Belize	155	1 590	3 999	1	20	50	Community transmission
Haiti	143	8 600	754	5	221	19	Community transmission
Uruguay	117	1 890	544	1	46	13	Clusters of cases
Nicaragua	102	3 979	601	3	147	22	Community transmission
Barbados	5	185	644	0	7	24	Clusters of cases
Antigua and Barbuda	0	95	970	0	3	31	Sporadic cases
Dominica	0	24	333	0	0	<1	Clusters of cases
Grenada	0	24	213	0	0	<1	No cases
Saint Kitts and Nevis	0	17	320	0	0	<1	No cases

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Saint Lucia	0	27	147	0	0	<1	Sporadic cases
Saint Vincent and the Grenadines	0	64	577	0	0	<1	Sporadic cases
Territories ⁱⁱ							
Puerto Rico	3 901	40 993	14 329	70	605	211	Community transmission
Aruba	563	3 382	31 677	7	23	215	Community transmission
Guadeloupe	346	3 426	8 562	2	26	65	Community transmission
Martinique	183	1 122	2 990	0	18	48	Community transmission
French Guiana	171	9 692	32 449	2	65	218	Community transmission
Curação	75	210	1 280	0	1	6	Community transmission
Saint Martin	74	330	8 536	0	6	155	Community transmission
Sint Maarten	35	565	13 176	0	19	443	Community transmission
United States Virgin Islands	31	1 242	11 894	0	19	182	Community transmission
Turks and Caicos Islands	26	667	17 227	0	5	129	Clusters of cases
Bonaire, Sint Eustatius and Saba	11	36	1 373	1	1	38	Sporadic cases
British Virgin Islands	5	71	2 348	0	1	33	Clusters of cases
Saint Barthélemy	2	23	2 327	0	0	<1	Sporadic cases
Bermuda	1	178	2 858	0	9	145	Sporadic cases
Anguilla	0	3	200	0	0	<1	No cases
Cayman Islands	0	208	3 165	0	1	15	Sporadic cases
Falkland Islands (Malvinas)	0	13	3 732	0	0	<1	No cases
Montserrat	0	13	2 601	0	1	200	No cases
Saint Pierre and Miquelon	0	11	1 898	0	0	<1	Sporadic cases

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Eastern Mediterranean	114057	2215733	315	2629	57641	8	
Iraq	28 819	315 597	7 846	550	8 491	211	Community transmission
Iran (Islamic Republic of)	19 103	419 043	4 989	1 089	24 118	287	Community transmission
Morocco	15 381	99 816	2 704	242	1 795	49	Clusters of cases
United Arab Emirates	5 393	84 242	8 518	5	404	41	Community transmission
Bahrain	4 913	64 499	37 905	10	221	130	Clusters of cases
Libya	4 886	27 234	3 963	72	426	62	Community transmission
Kuwait	4 838	99 049	23 193	23	581	136	Community transmission
Lebanon	4 628	28 297	4 146	47	286	42	Community transmission
Saudi Arabia	4 221	329 271	9 458	218	4 458	128	Sporadic cases
Pakistan	4 190	305 671	1 384	37	6 416	29	Clusters of cases
Oman	3 416	91 753	17 967	56	818	160	Community transmission
Tunisia	3 101	9 736	824	48	155	13	Clusters of cases
Qatar	1 623	123 146	42 743	4	209	73	Community transmission
Jordan	1 478	4 540	445	8	30	3	Community transmission
Egypt	1 044	101 900	996	123	5 750	56	Clusters of cases
Afghanistan	403	39 044	1 003	21	1 441	37	Clusters of cases
Syrian Arab Republic	259	3 765	215	18	170	10	Community transmission
Sudan	65	13 535	309	2	836	19	Community transmission
Somalia	25	3 401	214	0	98	6	Sporadic cases
Yemen	17	2 030	68	3	586	20	Community transmission

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Djibouti	7	5 401	5 467	0	61	62	Sporadic cases
Territories ⁱⁱ							
Occupied Palestinian territory	6 247	44 763	8 775	53	291	57	Community transmission
Europe	360601	5195853	760	4072	229802	34	
France	66 869	420 855	6 448	360	31 109	477	Community transmission
Spain	50 696	640 040	13 689	596	30 495	652	Clusters of cases
Russian Federation	40 588	1 103 399	7 561	840	19 418	133	Clusters of cases
United Kingdom	25 184	390 362	5 750	136	41 759	615	Community transmission
Israel	23 346	176 452	20 386	65	1 176	136	Community transmission
Ukraine	21 343	175 678	4 017	379	3 557	81	Community transmission
Czechia	12 905	48 306	4 511	46	499	47	Clusters of cases
Germany	11 987	271 415	3 239	37	9 386	112	Clusters of cases
Turkey	11 713	301 348	3 573	446	7 445	88	Community transmission
Netherlands	10 904	91 841	5 360	22	6 266	366	Community transmission
Italy	10 272	296 569	4 905	89	35 692	590	Clusters of cases
Romania	9 164	111 550	5 799	275	4 402	229	Community transmission
Hungary	6 165	17 990	1 862	50	683	71	Community transmission
Belgium	5 764	100 654	8 685	17	9 944	858	Community transmission
Austria	4 997	37 948	4 213	11	765	85	Community transmission
Portugal	4 715	68 025	6 671	39	1 899	186	Clusters of cases
Poland	4 680	78 330	2 070	100	2 282	60	Community transmission
Uzbekistan	4 193	51 235	1 531	41	429	13	Clusters of cases

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Republic of Moldova	3 622	46 336	11 486	83	1 201	298	Community transmission
Denmark	2 631	21 847	3 772	6	635	110	Community transmission
Switzerland	2 576	49 171	5 681	22	1 764	204	Community transmission
Kazakhstan	1 964	138 348	7 368	51	1 999	106	Clusters of cases
Greece	1 942	14 978	1 437	29	331	32	Clusters of cases
Ireland	1 808	32 538	6 590	9	1 792	363	Community transmission
Bosnia and Herzegovina	1 758	24 892	7 587	63	746	227	Community transmission
Armenia	1 569	47 431	16 006	14	930	314	Community transmission
Belarus	1 486	75 461	7 986	32	776	82	Community transmission
Montenegro	1 408	8 114	12 919	16	134	213	Clusters of cases
Croatia	1 357	14 725	3 587	26	244	59	Community transmission
Georgia	1 275	3 502	878	0	19	5	Community transmission
Sweden	1 177	88 237	8 737	1	5 865	581	Community transmission
Slovakia	1 093	6 546	1 199	1	39	7	Clusters of cases
Albania	1 041	12 226	4 248	28	358	124	Clusters of cases
Bulgaria	928	18 819	2 708	38	755	109	Clusters of cases
Azerbaijan	870	39 042	3 851	15	574	57	Clusters of cases
North Macedonia	863	16 557	7 947	43	689	331	Clusters of cases
Norway	779	12 645	2 332	2	267	49	Clusters of cases
Slovenia	706	4 309	2 073	2	133	64	Clusters of cases
Luxembourg	559	7 718	12 330	0	124	198	Community transmission

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Serbia	540	32 840	4 716	9	740	106	Community transmission
Kyrgyzstan	535	45 416	6 961	0	1 063	163	Clusters of cases
Finland	410	8 922	1 610	2	339	61	Community transmission
Lithuania	368	3 664	1 346	1	87	32	Community transmission
Malta	359	2 634	5 965	2	17	39	Clusters of cases
Tajikistan	289	9 303	975	1	73	8	Pending
Andorra	220	1 564	20 242	0	53	686	Community transmission
Estonia	220	2 875	2 167	0	64	48	Clusters of cases
Iceland	145	2 307	6 761	0	10	29	Community transmission
Cyprus	57	1 580	1 309	1	22	18	Clusters of cases
Latvia	51	1 515	803	1	36	19	Clusters of cases
Monaco	18	192	4 892	0	1	25	Sporadic cases
Liechtenstein	3	112	2 937	0	1	26	Sporadic cases
San Marino	1	742	21 863	0	42	1 238	Community transmission
Holy See	0	12	14 833	0	0	<1	Sporadic cases
Territories ⁱⁱ							
Kosovo ^[1]	436	14 959	8 041	25	604	325	Community transmission
Gibraltar	23	346	10 270	0	0	<1	Clusters of cases
Faroe Islands	13	431	8 820	0	0	<1	Sporadic cases
Jersey	13	393	3 612	0	32	294	Community transmission
Isle of Man	2	339	3 987	0	24	282	No cases
Guernsey	1	254	4 019	0	13	206	Community transmission

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Greenland	0	14	247	0	0	<1	No cases
South-East Asia	696400	6073462	1053	9309	101700	18	
India	646 263	5 400 619	3 913	8 166	86 752	63	Clusters of cases
Indonesia	25 941	240 687	880	798	9 448	35	Community transmission
Bangladesh	11 328	347 372	2 109	211	4 913	30	Community transmission
Nepal	9 677	62 797	2 155	65	401	14	Clusters of cases
Myanmar	2 467	5 263	97	65	81	1	Clusters of cases
Maldives	597	9 649	17 851	2	33	61	Clusters of cases
Sri Lanka	79	3 283	153	1	13	1	Clusters of cases
Thailand	33	3 506	50	1	59	1	Clusters of cases
Bhutan	15	259	336	0	0	<1	Sporadic cases
Timor-Leste	0	27	20	0	0	<1	Sporadic cases
Western Pacific	31353	577905	100	781	12667	2	
Philippines	25 597	283 460	2 587	638	4 930	45	Community transmission
Japan	3 439	78 657	622	61	1 500	12	Clusters of cases
Republic of Korea	799	22 975	448	25	383	7	Clusters of cases
Malaysia	299	10 167	314	2	130	4	Clusters of cases
Australia	278	26 885	1 054	41	844	33	Clusters of cases
Singapore	201	57 558	9 838	0	27	5	Clusters of cases
China	174	90 840	62	3	4 744	3	Clusters of cases
New Zealand	18	1 464	304	1	25	5	Clusters of cases

Reporting Country/Territory/Area	New cases in last 7 days	Cumulative cases	Cumulative cases per 1 million population	New deaths in last 7 days	Cumulative deaths:	Cumulative deaths per 1 million population	Transmission classification
Papua New Guinea	8	516	58	1	6	1	Community transmission
Viet Nam	8	1 068	11	0	35	<1	Clusters of cases
Brunei Darussalam	0	145	331	0	3	7	No cases
Cambodia	0	275	16	0	0	<1	Sporadic cases
Fiji	0	32	36	0	2	2	Sporadic cases
Lao People's Democratic Republic	0	23	3	0	0	<1	Sporadic cases
Mongolia	0	311	95	0	0	<1	Sporadic cases
Territories ⁱⁱ							
French Polynesia	298	1 318	4 692	0	2	7	Sporadic cases
Guam	226	2 117	12 543	9	34	201	Clusters of cases
Northern Mariana Islands (Commonwealth of the)	8	68	1 181	0	2	35	Pending
New Caledonia	0	26	91	0	0	<1	Sporadic cases
Subtotal for all regions	1 998 897	30 674 934	3 953	36 764	954 404	123	
Other [†]	0	741	-	0	13	-	Not applicable
Grand total	1 998 897	30 675 675	-	36 764	954 417	-	

^{**}See data, table and figure notes

Technical guidance and other resources

- Technical guidance
- WHO Coronavirus Disease (COVID-19) Dashboard
- Weekly COVID-19 Operational Updates
- WHO COVID-19 case definitions
- COVID-19 Supply Chain Inter-Agency Coordination Cell Weekly Situational Update
- Updates from WHO regions
- African Region
 Region of the Americas
- Eastern Mediterranean Region
 South-East Asia Region
- European Region
 Western Pacific Region
- Research and Development
- Online courses on COVID-19 in official UN languages and in additional national languages
- The Strategic Preparedness and Response Plan (SPRP) outlining the support the international community
 can provide to all countries to prepare and respond to the virus

Recommendations and advice for the public

- Protect yourself
- Questions and answers
- Travel advice
- <u>EPI-WIN</u>: tailored information for individuals, organizations and communities

Data, table and figure notes

Data presented are based on official laboratory-confirmed COVID-19 case and deaths reported to WHO by country/territories/areas, largely based upon WHO <u>case definitions</u> and <u>surveillance guidance</u>. While steps are taken to ensure accuracy and reliability, all data are subject to continuous verification and change, and caution must be taken when interpreting these data as several factors influence the counts presented, with variable underestimation of true case and death incidence, and variable delays to reflecting these data at global level. Case detection, inclusion criteria, testing strategies, reporting practices, and data cut-off and lag times differ between countries/territories/areas. A small number of countries/territories/areas report combined probable and laboratory-confirmed cases; efforts are underway to identify these for notation in the data table. Differences are to be expected between information products published by WHO, national public health authorities, and other sources.

The designations employed, and the presentation of these materials do not imply the expression of any opinion whatsoever on the part of WHO concerning the legal status of any country, territory or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines

on maps represent approximate border lines for which there may not yet be full agreement. Countries, territories and areas are arranged under the administering WHO region.

The mention of specific companies or of certain manufacturers' products does not imply that they are endorsed or recommended by WHO in preference to others of a similar nature that are not mentioned. Errors and omissions excepted, the names of proprietary products are distinguished by initial capital letters.

[1] All references to Kosovo should be understood to be in the context of the United Nations Security Council resolution 1244 (1999). In the map, number of cases of Serbia and Kosovo (UNSCR 1244, 1999) have been aggregated for visualization purposes.

¹ Transmission classification is based on a process of country/territory/area self-reporting. Classifications are reviewed on a weekly basis and may be revised as new information becomes available. Differing degrees of transmission may be present within countries/territories/areas; classification is based on the highest category reported within a country/territory/area. Categories:

- No cases: with no confirmed cases;
- Sporadic cases: with one or more cases, imported or locally detected;
- Clusters of cases: experiencing cases, clustered in time, geographic location and/or by common exposures;
- Community transmission: experiencing larger outbreaks of local transmission defined through an
 assessment of factors including, but not limited to: large numbers of cases not linkable to transmission
 chains; large numbers of cases from sentinel laboratory surveillance; and/or multiple unrelated clusters
 in several areas of the country/territory/area;
- Pending: transmission classification has not been reported to WHO.

Country, territory, or area-specific notes, updates and errata

Due to public health authorities conducting data reconciliation exercises which remove large numbers of cases or deaths from their total counts, negative numbers may be displayed in the new cases/deaths columns as appropriate. When additional details become available that allow the subtractions to be suitably apportioned to previous days, graphics will be updated accordingly. See the <u>log of major changes and errata</u> for details. Prior situation reports will not be edited; see <u>covid19.who.int</u> for the most up-to-date data.

[&]quot;Territories" include territories, areas, overseas dependencies and other jurisdictions of similar status.

[†]Other: includes cases reported from international conveyances.